

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR SEPTEMBER 2021

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
1347	UMIAM	7.7	6.6	5.6	420	1300	43	Not Satisfactory
3346	UMIAM LAKE AT OUTFALL OF UMIAM RIVER	7.9	5.6	6.1	430	1400	58	Not Satisfactory
3347	UMIAM LAKE MIDDLE POINT	7.6	6.8	5.2	310	830	41	Not Satisfactory
3348	UMIAM LAKE NEAR UNITED CHRISTIAN COLLEGE	7.8	6.3	6.0	390	1200	46	Not Satisfactory
1348	WARD'S LAKE	7.2	7.0	2.6	83	410	17	Satisfactory
3350	UMKHEN AT WAHKDAIT	7.2	6.8	1.9	20	420	6	Satisfactory
3351	UMKHEN AT KSEHPONGDENG	7.4	7.2	1.1	2	110	2	Satisfactory
3352	UMKHEN AT DIENGPASOH	7.3	7.2	1.3	11	120	2	Satisfactory
3353	UMIAM MAWPHLANG AT NONGKREM	7.1	6.8	1.4	46	430	9	Satisfactory
3354	UMIAM MAWPHLANG UMTYNGGAR	6.8	6.9	2.0	21	430	6	Satisfactory
3355	UMIAM MAWPHLANG AT MAWPHLANG	6.9	7.0	1.8	20	330	4	Satisfactory
3356	UMIAM MAWPHLANG AT SHELLA	7.8	7.2	1.7	2	70	--	Satisfactory
3357	UMNGOT RIVER AT SMIT	7.2	6.7	1.7	12	170	4	Satisfactory
3358	UMNGOT RIVER AT DAWKI	7.1	7.3	1.2	2	43	2	Satisfactory
3363	UMSHYRPI AT RISA COLONY	7.3	7.1	1.5	4	70	2	Satisfactory
3364	UMSHYRPI NEAR LAW COLLEGE	7.2	3.8	16.0	13000	48000	2300	Not Satisfactory
3365	UMSHYRPI AT UMSHYRPI BRIDGE	7.4	6.9	6.0	4100	9400	1100	Not Satisfactory
3359	UMKHRAH AT DEMTHRING	6.9	4.0	14.0	11000	31000	2100	Not Satisfactory
3360	UMKHRAH AT UMKALIAR	7.1	6.6	6.2	4300	12000	1200	Not Satisfactory
3361	UMKHRAH AT NEAR SLAUGHTER HOUSE	7.1	3.0	19.2	14000	49000	2300	Not Satisfactory
3362	UMKHRAH AT MAWPDANG MAWLAI	7.3	3.8	16.0	14000	46000	2200	Not Satisfactory
1422	UMTREW AT BYRNIHAT	7.4	7.0	2.4	210	2000	39	Satisfactory
3366	UMTREW AT UMRAN	7.4	7.2	1.4	46	430	12	Satisfactory
3368	NONBAH AT PHODSOHSAT	7.0	7.2	1.5	2	94	2	Satisfactory
3367	NONBAH AT NONGSTOIN	7.0	7.1	2.6	310	1100	43	Satisfactory

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR SEPTEMBER 2021

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
3369	KYN Shi AT SOHIONG	6.8	7.3	1.6	20	210	--	Satisfactory
3370	KYN Shi AT NONGKHNUM	7.1	7.5	1.0	4	63	--	Satisfactory
3371	KYN Shi AT RANIKOR	6.9	7.0	1.8	8	70	2	Satisfactory
3372	RILANG RIVER AT MAWKYRWAT	6.9	7.1	1.7	2	40	2	Satisfactory
3373	WAHBLEI AT RIANGDO	6.7	7.0	1.4	2	70	2	Satisfactory
3374	WAHBLEI AT SHADDKHAR	6.7	7.2	1.1	11	140	4	Satisfactory
1631	MYNTDU AT JOWAI	6.8	7.1	2.7	300	940	32	Satisfactory
3379	MYNTDU AT LESHKA	6.4	7.0	1.6	22	150	4	Not Satisfactory
1459	THADLASKEIN	6.9	7.0	1.8	13	140	4	Satisfactory
1428	KYRHUKHLA	3.5	7.0	2.3	BDL	21	BDL	Not Satisfactory
3375	LUNAR RIVER (TRIBUTARY OF LUKHA RIVER) AT MYNDIHATI	3.1	6.9	2.5	BDL	BDL	BDL	Not Satisfactory
3376	LUKHA RIVER AT SUNAPUR	7.3	7.1	1.6	11	63	4	Satisfactory
3377	MYNTANG RIVER AT NARTIANG	6.9	7.2	1.6	21	210	4	Satisfactory
3378	MYNTANG RIVER AT MYNSO	6.9	7.1	1.5	11	41	2	Satisfactory
1632	GANOL AT TURA	7.0	7.3	1.5	140	410	--	Satisfactory
1633	SIMSANG AT WILLIAMNAGAR	7.1	7.0	1.3	150	420	--	Satisfactory
3349	TASEK LAKE AT SONGSAK	7.0	6.5	2.0	110	480	--	Satisfactory
3380	DAMRING AT RESUBELPARA	7.1	7.0	1.6	58	390	--	Satisfactory
3381	MANDA AT JAMPA	6.7	6.5	2.1	41	330	--	Satisfactory
3382	MANDA AT WAGAI SI	6.9	7.3	1.5	38	320	--	Satisfactory
3383	BUGI AT MEBANPARA	7.1	7.2	1.6	36	310	--	Satisfactory
3384	DALU	7.1	7.3	1.4	27	310	--	Satisfactory
4304	RIVER SDERKARIAH SOHRA (CHERRAPUNJEE)	5.0	7.0	1.7	BDL	58	BDL	Not Satisfactory
4305	LAITRYNGEW STREAM LAITRYNEW	4.6	7.2	1.6	4	27	BDL	Not Satisfactory
4306	WAH KHLEK KHLEK RIVER SAITSOHPEN	6.7	7.0	1.8	BDL	43	BDL	Satisfactory
4307	WAH REW RIVER	6.7	7.3	1.5	BDL	4	BDL	Satisfactory
4308	UMNGI RIVER AT JAKREM	7.2	7.4	1.2	BDL	33	BDL	Satisfactory

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR SEPTEMBER 2021

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
4309	UMNGI RIVER AT UMPUNG	6.8	7.5	1.4	6	48	2	Satisfactory
4310	RWIANG RIVER AT RWIANG	7.2	7.0	1.7	11	49	4	Satisfactory
4311	KALIPAI RIVER AT RYMBAI	3.0	6.8	1.7	BDL	BDL	BDL	Not Satisfactory
4312	KME UM RIVER RYMBAI	2.5	6.8	1.7	BDL	BDL	BDL	Not Satisfactory
4313	WAIKHWRWI RIVER MOOKHLHOT	3.0	6.5	1.9	BDL	BDL	BDL	Not Satisfactory
4314	KWAI RIVER SUTNGA MAWPUN	4.1	6.7	1.7	BDL	BDL	BDL	Not Satisfactory
4315	LUKHA RIVER KHADDUM	7.3	7.0	1.6	BDL	31	BDL	Satisfactory
4316	MYNTDU RIVER MIH MYNTDU	6.7	7.3	1.3	33	350	11	Satisfactory
4317	LAMU RIVER AT LESHKA	7.1	7.4	1.5	21	110	6	Satisfactory
4318	LYNRIANG RIANG RIVER AT LESHKA	4.2	6.8	1.8	4	49	2	Not Satisfactory
4319	UMIUREM RIVER IALE	5.8	7.0	1.8	BDL	21	BDL	Not Satisfactory
4320	KUPLI RIVER IOOKSI	4.7	7.1	1.7	BDL	23	BDL	Not Satisfactory
4321	KUPLI RIVER KHANDONG	4.6	7.3	1.2	BDL	110	BDL	Not Satisfactory
4322	THLUMUWI RIVER AT THLUMUWI	5.3	7.0	1.6	13	84	6	Not Satisfactory
4326	SIMSANG RIVER AT BAGHMERE	7.3	7.1	1.6	32	330	--	Satisfactory
4110	NONGAL RIVER AT NONGALBIBRA	4.8	7.2	1.2	33	220	--	Not Satisfactory
4111	SIMSANG RIVER NONGALBIBRA	6.9	7.4	1.4	36	230	--	Satisfactory
4112	GANOL RIVER TURA AT GAROBADHA	6.9	7.1	1.6	27	350	--	Satisfactory
4113	DAMRING RIVER AT BOLDANGRE	7.1	7.1	1.6	40	420	--	Satisfactory